



FLUXO 8702

Water Washable Fluorescent Penetrant - Sensitivity Level 2

General Appearance & Composition

- Water Washable Fluorescent Penetrant
- Method A/C Level 2 according to EN ISO 3452
- Bright and sharp indication with low level of fluorescent background / excellent stability
- Processing Temperature: 10° to 50°C
- Can be used at temperature < 10°C (ISO 3452-6)
- Can be used at temperature between 50°C and 80°C (ISO 3452-5)
- FLUXO 8702 is a stable solution of petroleum distillates, nonionic surfactants and fluorescent dyes.

Approval & Specifications

- Sensitivity 2 according EN ISO 3452-2
- EN ISO 3452-2 and NF EN 571-1
- EN ISO 3452-5 / EN ISO 3452-6
- RCC-M Code
- ASME Boiler and Pressure Vessel Code Section V
- ASTM E 1417 ASTM E 165
- Low in Sulphur & Halogens (< 200ppm)
- Excellent self-developing properties: FLUXO 8702 can be used without developer.

Properties

- Aspect: Yellow Mobil Liquide
- <u>Density (20°C)</u>: 0.88
- Flash Point: > 93°C
- *Viscosity* : 5-6 mm²/s (40°C)
- Compatible with any metal & many synthetic materials

Application

- <u>Cleaning:</u> Remove rust, tinder and all contaminations from the part with FLUXO cleaner
- <u>Application of Penetrant:</u> Apply FLUXO 8702: Application by immersion, spraying, brushing, dipping, electrostatic spraying etc... Allow to penetrate for at least 10 minutes.
- <u>Removal:</u> Remove the excess penetrant from the surface under UV Light, with water. If you can't or don't want to use water, remove the excess penetrant with solvent FLUXO S190 or remover FLUXO N130.
- **Drying:** Begin drying procedure immediately after water wash.
- <u>Developing:</u> Apply FLUXO RD1 / FLUXO R175 developer on the part, achieving a thin and uniform layer. Can be used without developer (self-developing properties)
- <u>Inspection:</u> Parts shall be inspected under UV light as per ISO 3059 standard requirements. Surface defects will appear as fluorescent indication.

Shelf Life

• Minimum of 5 years, stored at room temperature

Pack Sizes

Aerosol Can 500mL / Drum 5L - 200L - 1000L



Version: 20.09,2019