
Subsea Ex- Rentals Brochure



Oceanscan Limited Denmore
Road, Bridge of Don
Aberdeen, AB23 8JW

T +44 (0)1224 707000
E sales@oceanscan.com

www.oceanscan.com



A member of Venterra Group Plc

Contents

Subsea Inspection	3
Acoustic Positioning	3
Bathy/Depth and MBES	3
Enviromental Systems	3
Geophysical Systems	4
Telemetry Systems	4
Cameras, Lasers, CDUs	4
Motion Sensors	4
Surface Nav	4
ROV	4
Acoustic Positioning	4
Bathy/Depth and MBES	4
Gyros	4
Cameras, Lasers, CDUs	5

Subsea Inspection

Cygnus Dive Mk2 with Head Up Display, 8mm 5Mhz Twin Crystal Probe and 13mm 2.25Mhz Single Crystal Probe

Cygnus Dive with Head Up Display and 2.25 MHz Single Crystal Probe

Cygnus 1 Diver Gauge c/w Single Crystal Ultrasonic Probe (2.25 MHz) 13mm dia.

ASAMS 12 Portable MPI System, with Battery Pack, Articulated Electromagnetic Yoke, Ink Reservoir, and UV Lamp

RSL ROV FMD c/w 0.5MHz Transducer, Subsea Electronics, Interconnecting Cable, Rugged Laptop, FMD Software, and Transit Case

Buckley's Bathycorrometer Mk5, with Battery Charger, Spare Tips and Silicone Grease

Oceanscan CP Kit for ROVs (1000m) c/w Subsea ROV Bottle, Contact CP Probe, Proximity CP Probe, Zinc Calibration Block, and Topside Software (8 Pin Mini Burton)

Oceanscan Dual CP Kit for ROVs (1000m) c/w Subsea ROV Bottle to run 2 CP probes, Contact CP Probe, Proximity CP Probe, Zinc Calibration Block, and Topside Software

Acoustic Positioning

Kongsberg cNODE Maxi 34-30V30H c/w Release Mechanism for cNODE Maxi 34. Depth rating: 4000m

Compatt 6 (TQI) Square Base- Omni directional LBL/USBL Type 8300-3111 Transponder and Modem c/w 3000m Digiquartz Pressure Sensor, Temperature Sensor, High Accuracy Inclinometer, and Dual Comms Cable

WMT 6G (Wide band 2 Mini Transponder [8190-3111] 3000m Rated Omni Directional c/w charger

Sonardyne 6G 8271 WSM (Wideband Sub Mini) 1000m Omni Directional with Depth Sensor

Sonardyne 8071 WSM (Wideband 1 Sub Mini) 1000m Omni Directional with Depth

Applied Acoustic 1019 Omni Directional +/- 90° Mini Beacon c/w Cage, Sleeve, Case, quick Start Guide and Support Disk

Applied Acoustic 1219 Micro Beacon

Applied Acoustic 219 Micro Beacon

Bathy/Depth and MBES

Tritech Seanet SCU5 Processor

Paroscientific Digiquartz Depth Sensor 8CDP700-I

Teledyne RESON T50-R, Rackmount, single head (default 190-420kHz, 1025 beams), c/w 50m Cables, and Mounting bracket, IDH ready. Also includes License for Flexmode inc. real-time pipe detection. License for T-series, X-range, including Full Rate Dual Head. License for Multi-Detect. License for Normalized Backscatter

Reson 7125C ROV1 Single head 400Khz 48V 6000m

Reson 7125 ROV2 Single head 400KHz 48V 6000m Rated, c/w Topside Processor, Monitor, LCU Bottle, Projector Array, Receiver Array, Interconnect Cables and Pigtail. Software Options included, Feature Pack 4, Flex mode, X-Range, and Full Rate Dual Head with X-Range

Enviromental Systems

Valeport Midas CTD Self Recording /direct reading CTD Probe 6000m

Valeport CTD 606 Self Recording /direct reading CTD Probe 5000m

Aanderraa WLR7 (270m) + data Storage

Valeport LR 740 Portable

Temp Sensor -5 to 35°C

Valeport 308 Current Meter Model 308 Direct Reading / Self Recording Oceanographic Current Meter 1000m with

Geophysical Systems

Marine Magnetism Seaspay Magnetometer 1000m

Marine Magnetism Explorer Mini Magnetometer 300m with Depth Sensor Option Enabled c/w 10m and 50m Tether

Telemetry Systems

Satel 3ASD Radio Modem 19.200 bit/s

Link Quest UWM2000H Acoustic Modem 2000m depth rated 1200m operational range c/w UWM2000H Omni-Directional Surface and Bottom Modem, 30m

surface cable, 2m Subsea Tails and 24V Subsea Battery

Cameras, Lasers, CDUs

IMENCO Tiger Shark Digital Stills Camera c/w Lantern Shark Flash (3000m)

OE 14-112-0005 (RATZ) Colour, Continuous Rotate and Tilt Camera, 10:1 Zoom Lens, PAL, Titanium 3000m Rated Housing, Burton 5506-1508 Connector

Macartney LUXUS Compact Low Light Camera (4000m)

Motion Sensors

CDL Diver Level with Charger and Transit Case

CDL Mini Tilt 30m Test/deck lead

Surface Nav

Trimble GPS- RTK SPS855 Base Station c/w Zephyr Geodetic Model 2 Antenna, 15m and 5m cables

Trimble GPS- RTK SPS855 Rover c/w Zephyr Model 2 Antenna, 15m and 10m cables

ROV

Seabotix LBV300-5 ROV (300m) inc Topside Power Supply & Control, Navigation Console, 150m Tether.

Acoustic Positioning

Simrad RPT

Simrad MST 324 Mini Transponders

Simrad MPT319/DTR

Sonardyne 7973 Super Sub Mini 1000

Applied Acoustic 916

Applied Acoustic 935H

Applied Acoustic 945 Midi 2000m NiCad

Applied Acoustic 949 Midi 2000 or 3000m

Simrad SPT / MPT Float Collars 1000m (CRP) Orange 12cm dia. Hole 3000m

Gyros

Oceantools Subsea Display (1000m)

Geophysical Systems

Klein 3000 DF SSS c/w TPU, SonarPro Workstation, Responder / Magnetometer Interface

Klein Digger MkII Depressor

Coda DA2000 1u System + Klein SSS and SBP module

Osprey 1366 MkII Zoom

Osprey 1386 P/T Camera

Osprey 14-102 Rotate and Tilt

OE-14-308 Diver Held Digital Stills and Flash

OE 14-376 Tooling Camera

Osprey 1130 U/W Flood Light

Osprey 1135 U/W Spot Lamp

Osprey 11-135 U/W Spot Lamp

ROS WDL75 Wet & Dry Lamp
