



---

# Subsea Ex-Rentals Brochure

---

**Oceanscan Limited**  
Unit 3 International Avenue  
ABZ Business Park, Dyce  
Aberdeen, AB21 0BH

Tel: +44 (0) 1255 707000  
Email: [sales@oceanscan.com](mailto:sales@oceanscan.com)  
[www.oceanscan.com](http://www.oceanscan.com)

Powered by



# Contents

Subsea Inspection	3
Acoustic Positioning	3
ROV	3
Environmental Systems	4
Geophysical Systems	4
Telemetry Systems	4
Motion Sensors	4
Surface Nav	4
Gyros	4
Bathy/Depth and MBES	5
Cameras, Lasers, CDUs	5

### Subsea Inspection

---

Cygnus Dive Mk2 with Head Up Display, 8mm 5Mhz Twin Crystal Probe and 13mm 2.25Mhz Single Crystal Probe

---

Cygnus Dive with Head Up Display and 2.25 MHz Single Crystal Probe

---

Cygnus 1 Diver Gauge c/w Single Crystal Ultrasonic Probe (2.25 MHz) 13mm dia.

---

ASAMS 12 Portable MPI System, with Battery Pack, Articulated Electromagnetic Yoke, Ink Reservoir, and UV Lamp

---

Buckley's Bathycorrometer Mk5, with Battery Charger, Spare Tips and Silicone Grease

---

Oceanscan CP Kit for ROVs (1000m) c/w Subsea ROV Bottle, Contact CP Probe, Proximity CP Probe, Zinc Calibration Block, and Topside Software (8 Pin Mini Burton)

---

Oceanscan Dual CP Kit for ROVs (1000m) c/w Subsea ROV Bottle to run 2 CP probes, Contact CP Probe, Proximity CP Probe, Zinc Calibration Block, and Topside Software

---

### Acoustic Positioning

---

Compatt 6 (TQI) Square Base- Omni directional LBL/USBL Type 8300-3111 Transponder and Modem c/w 3000m Digiquartz Pressure Sensor, Temperature Sensor, High Accuracy Inclinator, and Dual Comms Cable

---

WMT 6G (Wide band 2 Mini Transponder [8190-3111] 3000m Rated Omni Directional c/w charger

---

Sonardyne 6G 8271 WSM (Wideband Sub Mini) 1000m Omni Directional with Depth Sensor

---

Sonardyne 8071 WSM (Wideband 1 Sub Mini) 1000m Omni Directional with Depth

---

Applied Acoustic 1019 Omni Directional +/- 90° Mini Beacon c/w Cage, Sleeve, Case, Start Guide and Support Disk

---

Applied Acoustic 1219 Micro Beacon

---

Applied Acoustic 219 Micro Beacon

---

Simrad RPT

---

Simrad MST 324 Mini Transponders

---

Simrad MPT319/DTR

---

Sonardyne 7973 Super Sub Mini 1000

---

Applied Acoustic 916

---

Applied Acoustic 935H

---

Applied Acoustic 945 Midi 2000m NiCad

---

Applied Acoustic 949 Midi 2000 or 3000m

---

Simrad SPT / MPT Float Collars 1000m (CRP) Orange 12cm dia. Hole 3000m

---

### ROV

---

Seabotix LBV300-5 ROV (300m) inc Topside Power Supply & Control, Navigation Console, 150m Tether

---

### Environmental Systems

---

Valeport Midas CTD Self Recording /direct reading CTD Probe 6000m

---

Valeport CTD 606 Self Recording /direct reading CTD Probe 5000m

---

Aanderra WLR7 (270m) + data Storage

---

Valeport LR 740 Portable

---

Valeport 308 Current Meter Model 308 Direct Reading / Self Recording Oceanographic Current Meter 1000m with Temp Sensor -5 to 35°C

---

Oceanscan Dual CP Kit for ROVs (1000m) c/w Subsea ROV Bottle to run 2 CP probes, Contact CP Probe, Proximity CP Probe, Zinc Calibration Block, and Topside Software

---

### Geophysical Systems

---

Marine Magnetics SeaspY Magnetometer 1000m

---

Klein Digger MkII Depressor

---

Coda DA2000 1u System + Klein SSS and SBP module

---

Klein Model 3310 Digital Sub Bottom Profiler

---

### Telemetry Systems

---

Satel 3ASD Radio Modem 19.200 bit/s

---

Link Quest UWM2000H Acoustic Modem 2000m depth rated 1200m operational range c/w UWM2000H Omni-Directional Surface and Bottom Modem, 30m surface cable, 2m Subsea Tails and 24V Subsea Battery

---

### Motion Sensors

---

CDL Diver Level with Charger and Transit Case

---

### Surface Nav

---

Trimble GPS- RTK SPS855 Base Station c/w Zephyr Geodetic Model 2 Antenna, 15m and 5m cables

---

Trimble GPS- RTK SPS855 Rover c/w Zephyr Model 2 Antenna, 15m and 10m cables

---

### Gyros

---

Oceantools Subsea Display (1000m)

---

## Bathy/Depth and MBES

---

Tritech Seanet SCU5 Processor

---

Paroscientific Digiquartz Depth Sensor 8CDP700-I

---

Teledyne RESON T50-R, Rackmount, single head (default 190-420kHz, 1025 beams), c/w 50m Cables, and Mounting bracket, IDH ready. Also includes License for Flexmode inc. real-time pipe detection. License for T-series, X-range, including Full Rate Dual Head. License for Multi-Detect. License for Normalized Backscatter

---

Reson 7125C ROV1 Single head 400Khz 48V 6000m

---

Reson 7125 ROV2 Single head 400KHz 48V 6000m Rated, c/w Topside Processor, Monitor, LCU Bottle, Projector Array, Receiver Array, Interconnect Cables and Pigtail. Software Options included, Feature Pack 4, Flex mode, X-Range, and Full Rate Dual Head with X-Range

---

## Cameras, Lasers, CDUs

---

IMENCO Tiger Shark Digital Stills Camera c/w Lantern Shark Flash (3000m)

---

OE 14-112-0005 (RATZ) Colour, Continuous Rotate and Tilt Camera, 10:1 Zoom Lens, PAL, Titanium 3000m Rated Housing, Burton 5506-1508 Connector

---

Macartney LUXUS Compact Low Light Camera (4000m)

---

Osprey 1366 MkII Zoom Osprey 1386 P/T Camera

---

Osprey 14-102 Rotate and Tilt

---

OE-14-308 Diver Held Digital Stills and Flash

---

OE 14-376 Tooling Camera

---

Osprey 1130 U/W Flood Light

---

Osprey 1135 U/W Spot Lamp

---

Osprey 11-135 U/W Spot Lamp

---

ROS WDL75 Wet & Dry Lamp

---